


# Hawke Vantage AO 6-24x50 Riflescope (Mil Dot IR)



Seller Info

Name: Matthew Pilakoutas Company Futurama.co.za

Name:

First Name: Matthew
Last Name: Pilakoutas
Country: South Africa

ZIP code: 7130

Address: 19 Albert Street, Bridgebank,

Somerset west

Phone: +27 (074) 766-5961

Website: http://www.futurama.co.za

## Listing details

Title: Hawke Vantage AO 6-24x50 Riflescope (Mil Dot

IR)

Price: R 3,199.00

Make: Hawke

Model: Vantage AO 6-24x50 Riflescope (Mil Dot IR)

Condition: Brand New

Business or Customer Futurama.co.za

Name:

Phone: +021 (851) 241-9

Email: info@futurama.co.za





Country: South Africa

State/Region/Province:Province of the Western

Cape

City: Somerset West

Additional Information:

## Description

Designed for extreme long-range shooting, especially in low-light conditions, the Hawke Sports Optics 6-24x50 Vantage AO IR Riflescope boasts broad zoom range to bring even small targets up-close, and a large objective to draw in generous amounts of light to allow its use at dawn and dusk, or in heavily canopied areas. To further improve the scope's performance, all of its optical surfaces are fully multi-coated to boost light transmission and improve color fidelity, contrast, and overall image brightness. The broad zoom and large objective also helps to produce a comfortable exit pupil at low to mid magnifications so that when the eye dilates in low-light the entire field of view is easy to see without having to move your eye or head to see the whole scene.

#### Features

- 6-24x zoom range
- 50mm objective lens
- 11-layer anti-reflection fully multi-coated optics improves contrast and image brightness
- 15.1-4.2' field of view at 100 yards
- Modified duplex crosshair-style reticle
- Black etched outer posts
- Illuminated center crosshairs
- Four mil dots on all axes spaced 1 mrad (3.44 MOA) apart on hairs



- Illumination can be turned off for non-illuminated black reticle
- Use for ranging, hold-over/under, and estimating target size
- Placed on second focal plane, sub-tension set at 10x
- Partial illumination
- Knurled Posi-Grip adjustment collar
- Five selectable brightness levels
- Choose between red and green colors
- 1/4 MOA per click impact point correction
- 60 MOA windage and elevation adjustment range
- Finger-adjustable, low-profile capped turrets
- Adjustable parallax from 15 yards to infinity
- Comfortable 8-2mm exit pupil
- 3.5" long eye relief
- Lightweight and durable magnesium alloy housing
- Nitrogen-filled for water and fogproof performance
- Rated for use on most calibers and recoil-resistant

#### Specifications

Length Weight

| Magnification                | 6-24x                                      |
|------------------------------|--|
| Objective Lens Diameter      | 50mm                                       |
| Maintube Diameter            | 1"   |
| Reticle                      | Mil Dot                                    |
|                              | Second focal plane                         |
|                              | Partially illuminated duplex crosshair     |
| Field of View                | 15.1 - 4.2' @ 100 yd / 5.1 - 1.4 m @ 100 m |
| Parallax Correction          | Adjustable from 15 yd / 14 m to infinity   |
| Eye Relief                   | 3.5" / 8.9 cm                              |
| Exit Pupil Diameter          | 8 - 2 mm                                   |
| Impact Point Correction      | 1/4 MOA per click                          |
| Windage/Elevation Adjustment | 60 MOA                                     |
| Weatherproofing              | Nitrogen-filled, water, and fogproof       |
| Battery                      | 1 x CR0232                                 |

15.6" / 39.5 cm

22.0 oz / 625.0 g



Reference Number: GUA105491